

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**Paper No.: X**

**DATE** : September 12, 2007

**TO SPE OF** : ART UNIT 3677

**SUBJECT** : Request for Certificate of Correction for Appl. No.: 10/620880 Patent No.: 7074357 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

**DO NOT SENT TO ATTORNEY**

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**  
**South Tower - 9A22**  
**Palm Location 7580**

**VIRGINIA TOLBERT**  
Certificates of Correction Branch  
703-308-9390 ext. 113

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

**All changes apply.**

☐ **Approved in Part**

**Specify below which changes do not apply.**

☐ **Denied**

**State the reasons for denial below.**

**Comments:** the first change in Column 3 line 32 is APPROVED -- there should be a space between "2" and "H" so that it reads -- loxane having at least 2 H -- The 2nd change in Column 3 line 32 is clearly incorrect -- a period between "atoms" and "directly" makes no sense. This change is DENIED. No change is needed in Column 8, line 32. the lines reads exactly as applicnt requests that it read. This change is also DENIED

**SPE**

**Art Unit**